

UTILIZING Thermal Mass in Concrete Residential Construction to Reduce Energy Demand

By Erin Ashley, Director of Codes and Sustainability, NRMCA

It is estimated that 2007 will be the hottest year in recorded history! The British Meteorological Office reported in January that a resurgent El Nino and an increase in greenhouse gases will result in a 1.2-degree Fahrenheit increase over the long-term average. The increase in temperature results in higher energy prices, greater CO₂ emissions from residential and other heating and cooling units and an overall reduction in available fossil fuels¹. Developing a balanced design approach for residential homes, including a structure with a high thermal mass, would help reduce energy consumption. This will reduce the dependence on air-conditioning systems, thus reducing the

Increasing the thermal mass of a building can provide cooler summer indoor temperatures, a shift in the peak energy load leading to possible monetary savings and an overall reduction of energy up to 10%

dispersion of CO₂ and the increase in global greenhouse gas emissions.

Thermal mass in the most general of forms is any mass that absorbs and stores heat energy. In the building system, it is the mass of the building elements that stores heat during the hottest periods of the day and releases the heat during the cooler evening hours², as shown in Figure 1. Concrete is one of the primary building materials that provide advantages of thermal mass in build-

ing systems. In the winter season, the high thermal mass concrete home absorbs radiant heat from the sun and is gradually released back into the home during the night when the outdoor temperature drops. Concrete is an ideal building material for residential structures desiring high thermal mass due to its high specific heat, high density and low thermal conductivity. The distinct benefits to the thermal mass of concrete construction in residential design are³:




Figure 1. Benefit of high thermal mass during summer and winter seasons.

- Moderate shifts in peak loads of energy requirements due to the reduction in high fluctuations between indoor and outdoor temperatures.
- Heat transfer through a high thermal mass home, one constructed of concrete, is reduced, therefore, less energy is used to heat and cool the home.
- The thermal mass of concrete delays peak temperatures and reduces and spaces out peak energy loads, therefore, may shift the energy demand to off peak periods when utility rates may be lower. The damping and lag effects of a high thermal mass building are shown in Figure 2.

Several studies have researched the impact of high thermal mass concrete residential structures on energy savings. The Oak Ridge National Laboratory (ORNL) published a study comparing the energy performance of high thermal mass wall technologies with the typical residential light-weight wood-framed technologies ⁴. The ORNL report detailed a residential home constructed of Insulated Concrete Form (ICF) construction, the use of foam

forms, which are filled with ready mixed concrete at the site. The ICF walls provide a high thermal mass when compared to a typical wood framed construction home. The results of the study indicated that the average potential whole building

energy savings (ICF house vs. conventional wood-framed house) for all U.S. locations is approximately 8%. Figure 3, reproduced from the ORNL report, shows the energy savings from a high thermal mass construction for various U.S. cities.




Figure 2. Damping and lag effect of thermal mass.

World Class Chutes

Lightweight Chutes To Fit All Makes Of Trucks

Proudly Engineered & Manufactured In The USA With American Steel

The Ultimate Lightweight Chute
The Strength & Durability Of Steel
Half The Cost Of Aluminum
Increased Chute Life
The Weight Of Aluminum
Weight Ranges From 39 To 49 Lbs

GLADSTONE METALS

For More Information Please Visit Our Website At www.gladstonemetals.com
 840 Clark Drive - Gladstone, MI 49837 - Tel. 906-428-5626 - Fax 906-428-9061

With the inevitable rise in outdoor temperatures leading to higher energy use, additional CO₂ emission and more expensive heating and cooling bills, increasing the thermal mass of residential homes through

the use of concrete construction is a viable option for sustainable design. Increasing the thermal mass of a building can provide cooler summer indoor temperatures, a shift in the peak energy load leading to possible

monetary savings and an overall reduction of energy up to 10%. ■

1. The Associated Press. www.ap.org – accessed, January 8, 2007
2. "Thermal Mass for Housing," The Concrete Centre, 2006
3. www.concretethinker.com – accessed, January 8, 2007
4. Kosny, J. "Thermal Mass," Oak Ridge National Laboratory and Polish Academy of Sciences, 2001

Erin Ashley is director of codes and sustainability for the National Ready Mixed Concrete Association. She provides technical support to NRMCA members and state affiliates regarding local building codes and standards and promotes the adoption of statewide minimum building codes. She represents NRMCA on various national building code committees and green building standard committees. Ashley provides education and training programs for concrete producers, contractors, engineers and architects with a focus on building codes and sustainability. She can be reached at eashley@nrmca.org.




Figure 3. A potential whole building energy which can be saved in 10 U.S. locations by the replacement of conventional wood frame walls by ICF walls.

MAX Your Payload minimize Your Fuel



All aluminum bottom dump,
27 yard capacity, less than 10,000 lbs.



Wave frameless end dump, can weigh less than 10,000 lbs.



Wave quad axle frame-type, less than 11,000 lbs.
Legal for 80,000 lbs in 37 states.



Travis is a nationally distributed manufacturer, located in Houston, Texas since 1989. We have manufactured over 9000 trailers. We manufacture lightweight aluminum end dumps and bottom dumps, with features that ensure durability, aerodynamics, and contain the best components. Our products are sold across the USA by a network of factory branches and independent dealers. Call the dealer near you, or send an email to info@travistrailers.com and we will contact you.

Website: www.travistrailers.com • Email: info@travistrailers.com • Phone: (800) 487-2847